



**Environmental
Protection Agency**

Tom Strickland, Governor
Lee Fisher, Lt. Governor
Chris Kohnert, Director

November 11, 2010

American Energy Corp - Century Mine
43521 Mayhugh Hill Rd Twp Hwy 88
Beallsville, OH 43716

Dear Permittee:

A Preliminary Compliance Review was conducted on your Discharge Monitoring Report (DMR) submitted on November 10, 2010. As detailed at the end of this letter, screening of your submitted DMR has identified possible compliance issues. Please review the information and take the appropriate action:

- If you believe the identified compliance issues are in error based on your understanding of your NPDES permit conditions, contact your Ohio EPA District Representative, Abbot Stevenson, at 1-800-686-7330 or Abbot.Stevenson@epa.state.oh.us
- Part III-12 of your NPDES permit requires that you submit an email or a letter of explanation outlining the actions you have taken or are taking to correct certain instances of non-compliance. If you have not already done so, please submit the email or letter to your Ohio EPA District representative at the following address:
Abbot Stevenson
Ohio EPA - Southeast District Office
2195 Front Street
Logan, Ohio 4313
1-800-686-7330 or Abbot.Stevenson@epa.state.oh.us
- The following web address contains useful eDMR submission information including definitions of limit violations, non-numeric violations, frequency violations, calculation of average concentrations, and correct A-code use:
<http://www.epa.ohio.gov/dsw/edmr/eDMR.aspx>

Sincerely,

Ed Swindall
ed.swindall@epa.state.oh.us
Supervisor, Permits Compliance Unit
Ohio EPA, Division of Surface Water

50 West Town Street, Suite 700
P.O. Box 1049
Columbus, OH 43216-1049

614 | 644 3020
614 | 644 3184 (fax)
www.epa.ohio.gov

AEC 12283

**Environmental
Protection Agency**

Ted Strickland, **Governor**
Lee Fisher, **Lt. Governor**
Chris Korfeski, **Director**

Preliminary Compliance Report

Facility: American Energy Corp - Century Mine

Permit No.: 01L00091*GD

Report Period: October 2010

Date Received: 11/10/2010

Station	Type	Date	Reporting Code	Parameter	Limit Type	Permit Limit	Reported Value
015	Limit	10/3/2010	00400	pH	Daily Conc.	9.0	9.11

50 West Town Street, Suite 700
P.O. Box 1049
Columbus, OH 43216-1049

614 | 644 3020
614 | 644 3184 (fax)
www.epa.ohio.gov

AEC 12284